

Serial No.: 10/066,908
Atty. Docket: CG-716
Inventor: Montgomery

In the Claims

I claim:

1. (currently amended) A threaded closure-container package, comprising:
 - a container having a shoulder and a neck extending upward from said shoulder and having an external thread;
 - a closure having a top wall and a skirt depending from a peripheral edge of said ~~skirt~~ top wall, said skirt having an internal thread mating said external thread;
 - said closure having a rotary seal operably connected thereto;
 - said closure and container each having at least one on-direction stop mechanisms;
 - said on-direction stop mechanism including a lug depending from said top wall and extending inwardly from said skirt;
 - said lug engaging a face disposed on an upper portion of said container neck;
 - said closure-container package having a child resistance mechanism.
2. (original) The threaded closure-container package of claim 1, wherein said rotary seal is a reverse taper plug seal depending from an inner surface of said closure top wall, tapered radially outward.
3. (original) The threaded closure-container package of claim 2, wherein said reverse taper plug sealingly engages an inner surface of said container neck.
4. (canceled)
5. (canceled)
- 6-8. (canceled)

Serial No.: 10/066,908
Atty. Docket: CG-716
Inventor: Montgomery

9. (original) The threaded closure-container package of claim 1, wherein said child resistance mechanism comprises at least one closure child resistance lug depending from a lower peripheral edge of said closure operably engaging at least one child resistance lug extending from said container.

10-29. (canceled)

30. (currently amended) A threaded closure-container package, comprising:
a container having a shoulder and a neck extending upward from said shoulder and having an external thread circumscribing said neck;

a closure having a top wall and a skirt depending from a peripheral edge of said ~~skirt top wall~~, said skirt having an internal thread mating said external thread;

said closure having a rotary seal operably connected thereto;

said closure and said container each having at least one on-direction stop mechanism; and,

said on-direction stop mechanism including a lug depending from said top wall and extending inwardly from said skirt;

said lug engaging a face on said container neck defined by an indentation at an upper rim of said container neck; and,

said closure-container package having a child resistance mechanism.

31. (currently amended) The threaded closure-container package of claim 29 30, wherein said rotary seal is a reverse taper plug seal depending from an inner surface of said closure top wall, tapered radially outward, and sealingly engaged to an inner surface of said container neck, ~~wherein said on-direction stop mechanism has a closure lug depending~~

Serial No.: 10/066,908
Atty. Docket: CG-716
Inventor: Montgomery

~~from a lower peripheral edge of said closure skirt and operably engaging a container lug positioned on said container,~~ and further comprising a tamper indicating band integral with said closure, said tamper indicating band connected to said closure by a plurality of frangible webs, and a plurality of external ratchets extending from said container neck operably engaging a plurality of internal ratchets extending from an inner surface of said tamper indicating band.

32-35. (canceled)

36. (withdrawn) The threaded closure-container package of claim 30, wherein said rotary seal extends from an inner surface of said closure skirt and sealably engages said container neck, wherein said on-direction stop mechanism has a closure lug depending from a lower peripheral edge of said closure skirt and an operably engaging container lug positioned on said container neck, and, further comprising a tamper indicating band integral with said closure, said tamper indicating band connected to said closure by a plurality of frangible webs, and a plurality of external ratchets extending from said container neck engaging a plurality of internal ratchets extending from an inner surface of said tamper indicating band.

37. (canceled)

38. (withdrawn) The threaded closure-container package of claim 30, wherein said rotary seal extends from an inner surface of said closure skirt and sealably engages said container neck, wherein said on-direction stop mechanism comprises a closure lug on an inner surface of said skirt operably communicating with a container lug on an upper external surface of said container neck, wherein two container child resistance lugs extend from

Serial No.: 10/066,908
Atty. Docket: CG-716
Inventor: Montgomery

said container neck and mate with a closure child resistance lug, and, further comprising a tamper indicating band integral with said closure, said tamper indicating band connected to said closure by a plurality of frangible webs, and a plurality of external ratchets extending from said container neck operably engaging a plurality of internal ratchets extending from an inner surface of said TI band.

39-40. (canceled)

41. (new) A threaded closure-container package, comprising:

- a closure having a top wall and a skirt depending from a peripheral edge of said skirt;

- a closure lug depending from the intersection of said top wall and said skirt;

- a container neck being threadably attached to said closure;

said neck having a neck lug engaging said closure lug and defining an on-direction stop mechanism;

- said closure having a reverse taper plug seal depending from said closure top wall and engaging an inner surface of said container neck; and;

- a child resistant lug depending from said closure skirt engaging a child resistant lug on said container neck.